


# LABORATORY Intercom Systems

Model IC-04



Model IC-09



**Roker box for flush mounting.**

Model PR1000/81

120x168x65 mm.

**Stainless steel front:**

125x170 mm.



Model IC-RT / S / AI

Model IC-RT / D / AI

# LABORATORY Intercom Systems

## Bilateral Electronic Consoles



- The system allows instantaneous communication between the console and the remote stations.
- When the console initiates the call, the remote stations can answer in “hands-free” mode. Only when a remote station initiates the call to the console, the button must be pressed.
- The console has luminous signals to indicate the origin of the call and a sound signal in case the operator is not near the console.
- The system allows the addition of one more console (independently or in parallel).
- Optional: general call to all remote stations.



# LABORATORY Intercom Systems

## Stainless Steel Remotes

- Made of stainless steel.
- Stainless steel front and round metal buttons to prevent accumulation of dust.



**Model IC-RT / S / AI**

### Flush Mount model

Stainless steel front:  
125x170 mm.



**Model IC-RT/S-AIB**

### Wall mount model

130mm x 105mm x 55mm

[www.intercron.com](http://www.intercron.com)

Telephone number / Fax: 54 11 4545-5400 (telephone line rollover) - E-mail: [info@intercron.com](mailto:info@intercron.com)

Address: Valdenegro 3201 - (C1431GAM) - Capital Federal - Argentina